



PRODUCTS  
2015|2016



# PARQUET INTELLIGENCE

OUR KNOWLEDGE.  
YOUR BENEFITS.

## A MATTER OF TRUST

Our family has been connected to the natural element, wood, for more than 180 years. After all, our home town Weiz is located in the middle of green Styria, the province in Austria with the largest abundance of forests. Just as our forests keep on growing, we also undergo continual development and growth. Dr. Nicola Weitzer, Dr. Michael Wesonig and Kathrin Wesonig, who head the family enterprise, are the seventh generation to run the company, and take great care in continuing the lifework of their parents and grandparents.

**“Made in Austria” is a special attribute of our products:**

- We perform all work executes by hand in Austria - from cutting the timber, to producing the parquet.
- Social responsibility is an integral part of our corporate policy, which is why we feel very strongly about ensuring that our personnel have jobs in Austria in the future as well.

THIS IS PARQUET INTELLIGENCE:

## PERFECT SOLUTIONS FOR ALL AREAS OF USE!

**Are you looking for a parquet floor that offers you practical benefits?**

**Our intelligent solutions:** The characteristics of our maintenance-free, healthy, sound-reduction parquet are unique worldwide, and provide extensive evidence of our innovations which set new benchmarks when it comes to parquet flooring, offering convenience, comfort and an enhanced sense of well being!



### GENERAL

SURFACES	05
OVERVIEW OF COLOUR RANGES	06
MAINTENANCE-FREE PARQUET	10
HEALTHY PARQUET	12
SOUND-REDUCTION PARQUET	14
GRADINGS	16
COLOUR RANGES	17
APPEARANCES	18
LAYING PATTERNS	20

### PRODUCTS

PLANK APPEARANCE	21
WIDEBOARD APPEARANCE	30
BLOCK APPEARANCE	38
STRIP APPEARANCE	45
<b>iDESIGN</b> PARQUET	
SPECIAL EDITIONS	48
WOODEN STAIRS WP MULTI	55
PARQUET SKIRTINGS	61
PARQUET ACCESSORIES	65

### IMPORTANT INFORMATIONS

WOOD - AT ITS BEST	69
ECOLOGY	73



## PARQUET STRUCTURE



### 2-LAYER PARQUET

A spruce base layer, combined with a real hardwood top layer gives a low floor height construction, which is ideal for renovations



### 3-LAYER PARQUET

A spruce counterbalance base, combined with a spruce core and a real hardwood top layer gives the highest level of stability - even with floating installation

## CONNECTION SYSTEM



### TONGUE AND GROOVE

4-side tongue and groove connection



### DOUBLE-CLICK

Intelligent, patented double-click system with the greatest interlocking power on the market

## WEAR LAYER THICKNESS



### APPROX. 2,0 TO 5,5 mm

This refers to the thickness of the hardwood top layer

## INSTALLATION TECHNIQUES



### COMPLETE ADHESION

Products that are suitable for complete adhesion to subfloor



### FLOATING INSTALLATION

Products that are suitable for floating installation on recommended underlays

## HYDROSTOP



### UNIQUE, ALL-ROUND JOINT-EDGE IMPREGNATION

The Hydrostop impregnation applied at the factory provides the ultimate protection against the ingress of moisture due to small spillages

## HERRINGBONE INSTALLATION



### LEFT AND RIGHT HAND BLOCKS

Allows for a wide variety of possible installation patterns


## WOODEN STAIRS WP MULTI



### DON'T FORGET:

there's a stair covering to match every parquet! No matter what wood species, format, colour and additional treatment you use

## SUITABLE FOR UNDERFLOOR HEATING\*



### LIMITED TO VERY GOOD


depending on the relevant layout (level of heating loop), suitable for underfloor heating

LIMITED

SUITABLE

IDEALLY

## HARDNESS GRADE OF WOOD SPECIES\*



### SOFT TO VERY HARD

The hardness of the wood is especially important in terms of pressure points - wear resistance is additionally increased by means of the surface finish

SOFT

MEDIUM

STRONG

VERY STRONG

\* More about this, beginning on page 69

MAINTENANCE  
FREESOUND  
REDUCTION

Pre-finished lacquered sealing, consisting of 7 matched eco friendly layers in a satin gloss optical appearance

**YOU SEE** a satin gloss appearance

**YOU FEEL** a uniform lacquered finish

**INTELLIGENT CHARACTERISTICS**

- Maintenance-free for residential living
- Meets Class C of ÖNORM C 2354 (the highest standard for anti-scratch and resistance against certain chemicals, etc.)



**PROSTRONG**  
LACQUERED  
SURFACE  
FINISH

MAINTENANCE  
FREESOUND  
REDUCTION

Combines the advantages of the ProStrong surface finish (maintenance-free) with the appearance of the natural Oiled finish Provital

**YOU SEE** - the natural surface

**YOU FEEL** the pores

**INTELLIGENT CHARACTERISTICS**

- Maintenance-free for residential living
- Meets Class C of ÖNORM C 2354 (the highest standard for anti-scratch and resistance against certain chemicals, etc.)



**PROACTIVE+**  
THE NATURAL  
MATT SURFACE  
FINISH



HEALTHY

SOUND  
REDUCTION

Oil from natural, plant-based raw materials and natural resins, sealing the open pores\*

**YOU SEE** a satiny matt appearance

**YOU FEEL** the wood structure up close

**INTELLIGENT CHARACTERISTICS**

- Regular maintenance refreshes the impregnation/protective layer. It is thus ideal for commercial applications.
- Especially breathable. Can be partially renovated.
- Surface oiled at the end of the workshop production execute.

\* It is essential that an additional finish be applied to the floor after installation if it is to be used in a public area.



**PROVITAL finish**  
THE NATURAL  
OILED SURFACE  
FINISH

**IMPERIAL PLANK**  
3-LAYER PARQUET



Dimensions: 3500 x 350 x 18 mm

Dimensions: 3500 x 300 x 18 mm

Dimensions: 3500 x 240 x 18 mm



**WP GRAND PLANK**  
3-LAYER PARQUET



Dimensions: 2400 x 280 x 14 mm

Dimensions: 2400 x 240 x 14 mm

Dimensions: 2400 x 193 x 14 mm



**WP CHARISMA PLANK**  
3-LAYER PARQUET | Dimensions: 2245 x 193 x 14 mm



**WP 2.224 WITH SILENT INTELLIGENCE™**  
3-LAYER PARQUET | Dimensions: 2245 x 193 x 14 mm



**WP COMFORT PLANK**  
3-LAYER PARQUET | Dimensions: 1800 x 175 x 11 mm



**WP QUADRA**  
3-LAYER PARQUET | Dimensions: 1700 x 160 x 14 mm



**COLOUR RANGE LAVA**

- Oak Black Pepper

**COLOUR RANGE TERRA**

- Oak Cognac
- Oak Havana
- Oak Krokant

- Oak Black Pepper

- Oak Cognac
- Oak Havana
- Oak Krokant

- Fumed Oak Ice
- Fumed Oak Melange
- Oak Black Pepper
- Fumed Oak

- Oak Cognac
- Oak Coffee Melange
- Oak Coffee
- Oak Havana
- Oak Krokant

- Oak Havana

- Oak Havana

- Fumed Oak Ice
- Fumed Oak Melange
- Oak Black Pepper
- Fumed Oak

- Oak Cognac
- Nut steamed
- Oak Coffee Melange
- Oak Coffee
- Oak Havana
- Oak Krokant

COLOUR RANGE <b>FIRE</b>	COLOUR RANGE <b>NATURE</b>	COLOUR RANGE <b>STONE</b>	COLOUR RANGE <b>SAND</b>
	<ul style="list-style-type: none"> <li> Oak Ginger</li> <li> Oak Mandel</li> <li> Oak</li> <li> Oak Pure</li> </ul>	<ul style="list-style-type: none"> <li> Oak Auster</li> <li> Oak Kaschmir</li> <li> Oak Ice</li> <li> Oak Savanne</li> <li> Oak Polar</li> <li> Oak Trüffelgrau</li> <li> Oak Taupe</li> </ul>	
	<ul style="list-style-type: none"> <li> Oak Ginger</li> <li> Oak Mandel</li> <li> Oak</li> <li> Oak Pure</li> </ul>	<ul style="list-style-type: none"> <li> Oak Auster</li> <li> Oak Kaschmir</li> <li> Oak Ice</li> <li> Oak Savanne</li> <li> Oak Polar</li> <li> Oak Trüffelgrau</li> <li> Oak Taupe</li> </ul>	
	<ul style="list-style-type: none"> <li> Oak Ginger</li> <li> Oak Mandel</li> <li> Oak</li> <li> Oak Pure</li> </ul>	<ul style="list-style-type: none"> <li> Oak Auster</li> <li> Oak Kaschmir</li> <li> Oak Ice</li> <li> Oak Savanne</li> <li> Ash Polar</li> <li> Oak Polar</li> <li> Oak Trüffelgrau</li> <li> Oak Taupe</li> </ul>	<ul style="list-style-type: none"> <li> Stone Pine Edelweiss</li> <li> Ash Latte</li> <li> Mountain Maple</li> <li> Canadian Maple</li> <li> Ash</li> <li> Ash Ice</li> </ul>
	<ul style="list-style-type: none"> <li> Oak</li> <li> Oak Pure</li> </ul>	<ul style="list-style-type: none"> <li> Oak Kaschmir</li> </ul>	
	<ul style="list-style-type: none"> <li> Oak</li> </ul>	<ul style="list-style-type: none"> <li> Oak Auster</li> <li> Oak Kaschmir</li> <li> Ash Polar</li> </ul>	
	<ul style="list-style-type: none"> <li> Oak Ginger</li> <li> Oak Mandel</li> <li> Oak</li> <li> Oak Pure</li> </ul>	<ul style="list-style-type: none"> <li> Oak Auster</li> <li> Oak Kaschmir</li> <li> Oak Ice</li> <li> Oak Savanne</li> <li> Oak Polar</li> <li> Oak Trüffelgrau</li> <li> Oak Taupe</li> </ul>	

WIDEBOARD APPEARANCE


**WP 4140**

2-LAYER PARQUET | Dimensions: 1400 x 140 x 11 mm




**WP 5100**

2-LAYER PARQUET |




**WP 4100**

2-LAYER PARQUET | Dimensions: 1000 x 125 x 11 mm



**WP CHARISMA 2-STRIP**

3-LAYER PARQUET | Dimensions: 2245 x 193 x 14 mm



**WP 550**

2-LAYER PARQUET | Dimensions: 500 x 65 x 11 mm




**WP 450**

2-LAYER PARQUET | Dimensions: 500 x 65 x 11 mm



**WP CHARISMA 3-STRIP**

3-LAYER PARQUET | Dimensions: 2245 x 193 x 14 mm



**WP STRIP 45**





2-LAYER PARQUET | Dimensions: 360 x 108 x 11 mm








BLOCK APPEARANCE





STRIP APPEARANCE







COLOUR RANGE **LAVA**



-  Fumed Oak Ice
-  Fumed Oak Melange
-  Oak Black Pepper
-  Fumed Oak




COLOUR RANGE **TERRA**

-  Oak Cognac
-  Oak Coffee Melange
-  Oak Coffee
-  Oak Havana
-  Oak Krokant

-  Fumed Oak Ice
-  Fumed Oak Melange
-  Oak Black Pepper
-  Fumed Oak




-  Oak Cognac
-  Nut steamed
-  Oak Coffee Melange
-  Oak Coffee
-  Oak Havana
-  Oak Krokant

-  Fumed Oak Ice
-  Fumed Oak



-  Oak Cognac
-  Nut steamed
-  Oak Krokant



-  Fumed Oak p. 135


-  Fumed Oak

-  Nut steamed
-  Oak Coffee
-  Oak Krokant








































































-  Fumed Oak

-  Nut steamed
-  Oak Havana

-  Oak Black Pepper
-  Fumed Oak

-  Nut steamed



COLOUR RANGE <b>FIRE</b>	COLOUR RANGE <b>NATURE</b>	COLOUR RANGE <b>STONE</b>	COLOUR RANGE <b>SAND</b>
	<ul style="list-style-type: none"> <li> Oak Ginger</li> <li> Oak Mandel</li> <li> Oak</li> <li> Oak Pure</li> </ul>	<ul style="list-style-type: none"> <li> Oak Auster</li> <li> Oak Kaschmir</li> <li> Oak Ice</li> <li> Oak Savanne</li> <li> Oak Polar</li> <li> Oak Trüffelgrau</li> <li> Oak Taupe</li> </ul>	
	<ul style="list-style-type: none"> <li> Oak</li> </ul>	<ul style="list-style-type: none"> <li> Oak Kaschmir</li> </ul>	
<ul style="list-style-type: none"> <li> Robinia steamed</li> <li> Fumed Oak Cranberry</li> </ul>	<ul style="list-style-type: none"> <li> Oak Ginger</li> <li> Oak Mandel</li> <li> Oak</li> <li> Oak Pure</li> </ul>	<ul style="list-style-type: none"> <li> Oak Auster</li> <li> Oak Kaschmir</li> <li> Oak Ice</li> <li> Oak Savanne</li> <li> Ash Polar</li> <li> Oak Polar</li> <li> Oak Trüffelgrau</li> <li> Oak Taupe</li> </ul>	<ul style="list-style-type: none"> <li> Ash Latte</li> <li> Mountain Maple</li> <li> Ash</li> <li> Ash Ice</li> </ul>
<ul style="list-style-type: none"> <li> Robinia steamed</li> </ul>	<ul style="list-style-type: none"> <li> Oak</li> </ul>	<ul style="list-style-type: none"> <li> Oak Kaschmir</li> <li> Oak Ice</li> <li> Oak Savanne</li> <li> Ash Polar</li> </ul>	<ul style="list-style-type: none"> <li> Ash Ice</li> </ul>
	<ul style="list-style-type: none"> <li> Oak</li> </ul>	<ul style="list-style-type: none"> <li> Oak Kaschmir</li> </ul>	
<ul style="list-style-type: none"> <li> Robinia steamed</li> <li> Cherry steamed</li> <li> Beech steamed</li> </ul>	<ul style="list-style-type: none"> <li> Oak</li> </ul>	<ul style="list-style-type: none"> <li> Oak Auster</li> <li> Oak Kaschmir</li> <li> Oak Savanne</li> </ul>	<ul style="list-style-type: none"> <li> Ash Latte</li> <li> Mountain Maple</li> <li> Canadian Maple</li> <li> Ash</li> </ul>
<ul style="list-style-type: none"> <li> Robinia steamed</li> <li> Cherry steamed</li> <li> Beech steamed</li> </ul>	<ul style="list-style-type: none"> <li> Oak Mandel</li> <li> Oak</li> <li> Oak Pure</li> </ul>	<ul style="list-style-type: none"> <li> Oak Auster</li> <li> Oak Kaschmir</li> <li> Oak Savanne</li> <li> Ash Polar</li> </ul>	<ul style="list-style-type: none"> <li> Mountain Maple</li> <li> Canadian Maple</li> <li> Ash</li> </ul>
<ul style="list-style-type: none"> <li> Robinia steamed</li> <li> Cherry steamed</li> </ul>	<ul style="list-style-type: none"> <li> Oak</li> </ul>	<ul style="list-style-type: none"> <li> Oak Kaschmir</li> <li> Oak Savanne</li> </ul>	<ul style="list-style-type: none"> <li> Mountain Maple</li> <li> Ash</li> </ul>

# MAINTENANCE-FREE PARQUET


UNIQUE WORLDWIDE: NO  
MAINTENANCE REQUIRED,  
SAVES YOU TIME AND MONEY.

REVOLUTIONARY  
TECHNOLOGY MEANS ONLY  
GENTLE CLEANING IS NEEDED.

I ADORE ACCURATE  
APPEARANCES.



SHOWS  
DURABILITY.



COMPLICATED AND  
TIME CONSUMING  
MAINTENANCE IS NO  
LONGER REQUIRED.

OUR SPECIAL PORE  
SEALING PROCESS.

THIS IS PARQUET INTELLIGENCE:

THE WORLD'S FIRST **MAINTENANCE-FREE PARQUET!**

Are you looking for a parquet floor that offers you practical benefits?

**Our Intelligent Solution:** The unique, special sealing that goes down to the pores, makes our parquet maintenance free. All it takes is a gentle clean saving time and money. Your floor remains beautiful without any maintenance.

## WHAT WE UNDERSTAND BY MAINTENANCE-FREE PARQUET

Weitzer Parkett are the first and only manufacturer of this type of parquet flooring. For residential use, the complicated and time consuming maintenance is no longer required. For ProStrong and ProActive+ surfaces, only a light cleaning is required.



MAINTENANCE  
FREE

YOU CAN ALWAYS  
IDENTIFY OUR  
MAINTENANCE-  
FREE PRODUCTS  
BY THE  
MAINTENANCE-  
FREE SYMBOL

### GUARANTEED BY:

- **7-LAYER UV CURING EXECUTE:**  
The unique sealing technology of the ProStrong surface, protects the parquet against scratches, abrasion and heavy duty / wear and tear. Multi-layer sealing is also available in a natural matt effect as the ProActive+ surface.
- **ONE OF THE LARGEST HARDWOOD-KILN-DRYING FACILITIES IN EUROPE:**  
Decades of experience in the drying of wood help guarantee greater inherent stability and fitting-accuracy. This helps reduce the appearance of gaps, because the timber has been kiln dried to the level it is expected to achieve in service. ie. EMC - Equilibrium Moisture Content.
- **SHOWS DURABILITY.**  
Our maintenance-free parquet is extremely resistant to scratches and chemicals.

## RADIANTLY BEAUTIFUL - DAY IN AND DAY OUT



- **SPECIAL WEITZER PARKETT CLEANING PRODUCTS:**  
Cleaning products that have been specifically developed for Maintenance-free parquet, guarantees long lasting, clean, hygienic and beautiful parquet floors. A small amount of water and the "Clever Cleaner" or, alternatively Cleaning Soap is all that is required. No additional care and maintenance is necessary. Weitzer Parkett cleaning products are ecologically tested and are completely harmless to humans and environmentally friendly  
Refer to the Parkett Primer for detailed instructions
- **ALL-ROUND PROTECTION WITH JOINT-EDGE IMPREGNATION**
  - Recommended for the ProStrong and ProActive+ surfaces, by way of an additional finish, specially adapted for both surfaces. Note: WP CHARISMA has the finish applied ex-factory
  - Reduces water penetration at the header and longitudinal edges
  - Increases the resistance of your parquet to liquids and room climate fluctuations on a permanent basis
  - Reduces the formation of gaps

# HEALTHY PARQUET


FOR A PERFECT INDOOR CLIMATE.

I LOVE ITS NATURE.

CREATE HEALTHY SURROUNDINGS WITH THE AAAA-EFFECT.



100% PURE AND TOTALLY NATURAL.



PROMOTES WELL-BEING.

PERCEIVED HIGHER FLOOR TEMPERATURE BY UP TO 2.2 °C.

THIS IS PARQUET INTELLIGENCE:

## THE FIRST HEALTHY PARQUET WITH AAAA-EFFECT!

Are you looking for a parquet floor that offers you healthy surroundings?

**Our Intelligent Solution:** our healthy parquet with its allergy-free, antibacterial, antistatic and alive qualities, creates a hygienic, healthy atmosphere of well-being. Contrary to carpets, dust and dirt cannot get a permanent foothold on the smooth surfaces and mites have no habitat. With its special surfaces, you feel the wood structure very close: intensely brushed or scraped.

## WHAT WE UNDERSTAND BY HEALTHY PARQUET

This type of floor covering has a significant influence on individuals. Weitzer Parkett have created Healthy Parquet specifically to provide and promote a healthy climate and wellbeing.



HEALTHY

YOU CAN  
ALWAYS  
IDENTIFY  
OUR HEALTHY  
PRODUCTS BY  
THE HEALTHY  
SYMBOL

### THE UNIQUE ADVANTAGES:

#### - 100% PURE - NATURAL OILS AND WAXES FROM RENEWABLE RESOURCES

The surface of the healthy parquet is treated only with natural oils and waxes that penetrate deep into the pores and provide the parquet with strong protection. This extremely breathable surface creates a sense of well being and healthy living that helps restrict / reduce / remove allergens from the environment of the potential allergy sufferer. When it comes to appearance, our healthy parquet boasts a natural timber structure that really stands out thanks to the oiled surface.

#### - THE NATURAL MATERIAL WOOD

Wood brings comfort and warmth into the room. The latest studies of an independent German test institute prove: Increase in surface temperature for parquet compared to

- laminate by up to 0.8°C
- tiles by up to 2.2°C

This helps save heating costs!

#### - ROOM CLIMATE REGULATION

Wood in a room promotes regulation of the humidity and the optimum conditions are 50% humidity and 20°C room temperature. The more wood within a room, the better the climate can be controlled, health problems triggered by too dry or humid air are minimized.

#### - THE AAAA -EFFECT

Allergy-sufferer friendly | Antibacterial | Antistatic | Alive

The perfect surfaces, By it's allergy-free antibacterial, antistatic and alive qualities, Weitzer Parkett creates a hygienic, healthy atmosphere of well-being. Contrary to carpets, dust and dirt cannot get a permanent foothold on the smooth surfaces and mites have no habitat.

### PARKETT CARE!



#### - PARQUET FOR A LIFE TIME

When it comes to wooden floors, a distinction is made between cleaning and care. Ongoing cleaning ensures a clean surface day in and day out. Parquet care protects the wood and gives protection. Regular care ensures that the surface retains its original finish.

Refer to the Parkett Primer for detailed instructions


# SOUND-REDUCTION PARQUET WITH SILENT INTELLIGENCE™

ACHIEVE MAXIMUM  
SOUND REDUCTION.

DRASTIC  
NOISE  
REDUCTION  
POSSIBLE!

I LOVE THE PEACE  
AND QUIET.

„SUPPRESS“ NOISE RIGHT  
AT THE SOURCE



CAN BE OPTIMALLY  
COMBINED WITH  
OTHER FLOORING.

EASY ON  
THE JOINTS.



IMPROVED PROTECTION  
FOR YOUR FLOOR.

THIS IS PARQUET INTELLIGENCE:

## SOUND-REDUCTION PARQUET - CREATES QUIET IN THE HOUSE

Do you long for peace and quiet?

**Our Intelligent Solution:** With the specially developed, innovative sound-reduction parquet engineering, Silent Intelligence™, we found a solution to reduce ambient AND foot-fall noise at the same time. Graz University of Technology's measurement results in this connection yielded a noise reduction of more than half of the perceived volume.

## WHAT WE UNDERSTAND BY SOUND-REDUCTION PARQUET

Room acoustics play a vital role in personal well-being. Weitzer parkett is an expert in this area with its intelligent sound-reduction solutions which help create a relaxing atmosphere.




**SOUND  
REDUCTION**

YOU CAN ALWAYS  
IDENTIFY OUR  
SOUND-  
REDUCTION  
PRODUCTS BY  
THE SOUND-  
REDUCTION  
SYMBOL

### – SILENT INTELLIGENCE™ FOR PROJECTS WITH STRINGENT ACOUSTIC REQUIREMENTS

The best solution for reducing ambient and foot-fall noise is achieved through the system design with absorbing and recyclable insulating layer.

Sound-reduction parquet „suppresses“ loud foot-falls right at the source. The positive features of hardwood flooring are retained. Independent studies confirm a noise reduction of 8 Db to 22 dB, depending on the acoustic requirements in the residential construction project.




### ADDITIONAL BENEFITS OF SOUND-REDUCTION PARQUET:

- **FULLY ADHERED PARQUET:** Complete surface bonding by professionals, provides perfect contact with the underlay, thereby minimising distribution of ambient and footfall sound.
- **EASY ON THE JOINTS:** The elasticity of the floor has a gentle positive effect on the joints and keeps legs comfortable, even when standing for long periods.
- **IMPROVED PROTECTION FOR YOUR FLOOR:** The unique structure provides the floor with elasticity. The “spring” effect provides a cushioning effect for falling light and blunt objects and therefore prevents possible damage.
- **SUITABLE FOR UNDERFLOOR HEATING AND FOR COMBINING WITH OTHER FLOORING:** Can be optimally combined with other Weitzer Parkett due to the specially adapted structural height. Examples for use: children’s rooms, hotel rooms, shops, nursery schools, passages and many more. Also perfectly suited to underfloor heating.

## OUR GRADINGS

FROM QUIET TO VIBRANT





# MOTHER NATURE GIVES US HER COLOURS

OUR SOURCE OF  
INSPIRATION.



## LAVA

Colour Range LAVA:  
Strong and powerful colour tones. The dark and dusky nuances will produce mysterious and magical shadows and shade, creating an atmosphere of timeless beauty.



## TERRA

Colour Range TERRA:  
Earthy colour tones - the source of life. Captured in brown hues, these colours will ground your surroundings giving your room warmth and comfort.



## FIRE

Colour Range FIRE:  
Passionate colours from one end of the red spectrum to the other. These dynamic, bright colours give a feeling of wellbeing and vitality



## NATURE

Colour Range NATURE:  
Refined colour tones. Subtle beautiful shades, neither light nor dark. Understated and restrained, giving a classical finish to your room.



## STONE

Our parquet colour range STONE :  
A colour range that is full of surprises with its multitude of shades. Varying from cool, light tones, through to the exciting darker versions which will give your rooms a modern and stylish appearance.



## SAND

Colour Range SAND:  
A glimpse of the seaside. Colour tones that remind you of long sandy beaches the outdoors, and the sound of the sea. These bright hues will bring a feeling of relaxation into your life.

# WEITZER PARKETT APPEARANCES

FOR EVERY STYLE,  
WE OFFER THE RIGHT  
FORMAT.

## PLANK APPEARANCE

- Also available as **Grand Plank**, which performs a strong appearance with its length and three widths
- Expressive wood effect which is close-to-nature and works well in large spaces
- Elegant, lively and timeless
- The characteristics of the wood are completely retained, ensuring every floor is unique



## WIDEBOARD APPEARANCE

- Generous format between plank and block appearance
- Expression of contemporary design
- Especially well-suited to large, commercial or residential areas
- Also fits stylishly into smaller rooms
- Aesthetically pleasing



## BLOCK APPEARANCE

- Timeless, classic format
- Harmonizes with any furniture style
- Offers the greatest freedom of choice of installation patterns, such as herringbone, plait, shifted dice and lamella
- Also perfect for combining with other products



## STRIP APPEARANCE


- Unique design from Weitzer Parkett
- Multi-faceted strip appearance in contemporary design
- Gives the room a lively look and a personal touch
- Extraordinarily effective, especially when installed on stairs (waterfall appearance)




# LAYING PATTERNS

AT A GLANCE


## PLANK APPEARANCE




STRAIGHT




DIAGONAL




STRAIGHT



DIAGONAL




LADDER-TYPE \*



LAMELLA PATTERN \*\*

## WIDEBOARD APPEARANCE


## BLOCK APPEARANCE




SHIPDECK STRAIGHT



SHIPDECK DIAGONAL



LAMELLA PATTERN \*\*



SHIFTED DICE \*\*



HERRINGBONE \*\*




TWIN-HERRINGBONE \*\*



TRIPLE-PLAIT \*\*




QUADRUPLE-PLAIT \*\*




DIAGONAL LAMELLA \*\*

\* pattern possible with WP 4140, WP 5100 and WP 4100  
 \*\* pattern possible with WP 4140, WP 5100, WP 4100, WP 550 and WP 450


## STRIP APPEARANCE



NATURAL LAMELLA STRAIGHT



NATURAL DIAGONAL LAMELLA



PARALLEL




SHIFTED DICE



HERRINGBONE



TWIN-HERRINGBONE



CONTINUOUS LAMELLA PATTERN STRAIGHT



CONTINUOUS LAMELLA PATTERN DIAGONAL

## COMBINATIONS



HERRINGBONE WITH BORDER DETAIL \*\*\*



LADDER-TYPE COMBINATION \*\*\*

\*\*\* Combination: WP 4100 / WP 550 / WP 450



# PLANK APPEARANCE

## NATURE'S FINEST.

TRUE LUXURY:  
ONLY AROUND 17% OF THE TRUNK  
OF A TREE CAN BE USED TO  
ACHIEVE THE PLANK APPEARANCE!  
THAT MAKES EVERY PIECE A UNIQUE  
AND VALUABLE ITEM.




## IMPERIAL PLANK

### 3-LAYER PARQUET




- In three exclusive formats that demonstrate true splendour
- The plank appearance is emphasized thanks to bevelling of the longitudinal and header joints **(01)**
- Tongue and groove joint on four sides **(02)**
- Spruce supporting material with vertically arranged growth rings **(03)**
- Suitable for underfloor heating
- The Imperial plank has to be fully adhered
- Optional: Room-long Imperial Plank, extra wide!  
Prices and delivery times on request



**Installing a fidbox® (climate measuring device) is strongly recommended.** This enables specialist advice to be sought including indoor climate optimization even after the parquet has been installed. This preserves the value and beauty of the floor and ensures a long life of the same.

#### DIMENSIONS:


3500 x 350 x 18 mm   Overall thickness 18 mm with approx. 5 mm wear layer	WIDTH <b>350</b>
3500 x 300 x 18 mm   Overall thickness 18 mm with approx. 5 mm wear layer	WIDTH <b>300</b>
3500 x 240 x 18 mm   Overall thickness 18 mm with approx. 5 mm wear layer	WIDTH <b>240</b>



## WP GRAND PLANK 3-LAYER PARQUET




- The plank appearance is emphasized thanks to bevelling of the longitudinal and header joints **(01)**
- Tongue and groove joints on four sides. Can be completely adhered to the subfloor. Also suitable for floating installation in optimal room climates **(02)**
- Spruce supporting material with vertically arranged growth rings **(03)**
- Ideally suited to underfloor heating, as it can be completely adhered to the subfloor



**Installing a fidbox® (climate measuring device) is strongly recommended.** This enables specialist advice to be sought including indoor climate optimization even after the parquet has been installed. This preserves the value and beauty of the floor and ensures a long life of the same.

### DIMENSIONS:

2400 x 280 x 14 mm   Overall thickness 14 mm with approx. 3,6 mm wear layer	WIDTH <b>280</b>
2400 x 240 x 14 mm   Overall thickness 14 mm with approx. 3,6 mm wear layer	WIDTH <b>240</b>
2400 x 193 x 14 mm   Overall thickness 14 mm with approx. 3,6 mm wear layer	WIDTH <b>193</b>



WP CHARISMA PLANK  
3-LAYER PARQUET



- Intelligent patented double-click system with the greatest interlocking power on the market. **(01)**
- Patented press-stud principle for simultaneous locking of the longitudinal and header joints in one movement **(02)**:
  - Fast and simple one-man assembly and disassembly
  - Can be completely adhered to the subfloor\*
- Header joint edge locking mechanism made from solid hardwood only - completely free from plastic components and plasticizers **(03)**
- Spruce supporting material with vertically arranged growth rings **(04)**
- HydroStop:
  - Unique all-round joint-edge impregnation
  - Provides the ultimate protection against the ingress of moisture due to small spillages

\* Ideally suited to underfloor heating, as it can be completely adhered to the subfloor



DIMENSIONS:  
2245 x 193 x 14 mm  
Overall thickness 14 mm with  
approx. 3,6 mm wear layer






## WP 2.224 WITH SILENT INTELLIGENCE™ 3-LAYER PARQUET




- Specially developed parquet structure with absorbent insulating layer, reduces ambient and footfall sound
- Intelligent patented double-click system **(01)**
- Patented press-stud principle for simultaneous locking of the longitudinal and header joints in one movement **(02)**
- Header joint edge locking mechanism made from solid hardwood **(03)**
- Spruce supporting material with vertically arranged growth rings **(04)**
- Innovative, highly absorbent insulating layer **(05)**
- The plank appearance is emphasized thanks to bevelling of the longitudinal and header joints
- Sound-reduction parquet with Silent Intelligence™ is also available for stairs
- Suitable for underfloor heating
- Maximum sound reduction by full adhesion



**DRASTIC  
NOISE  
REDUCTION  
POSSIBLE!**




**DIMENSIONS:**  
2245 x 193 x 14 mm  
Overall thickness 14 mm with  
approx. 2 mm wear layer




WP COMFORT PLANK  
3-LAYER PARQUET



- Intelligent patented double-click system with the greatest interlocking power on the market. **(01)**
- Patented press-stud principle for simultaneous locking of the longitudinal and header joints in one movement **(02)**:
  - Fast and simple one-man assembly and disassembly
  - Can be completely adhered to the subfloor
- Header joint edge locking mechanism made from spruce wood only - completely free from plastic components and plasticizers **(03)**
- Spruce supporting material with vertically arranged growth rings **(04)**



DIMENSIONS:  
1800 x 175 x 11 mm  
Overall thickness 11 mm with  
approx. 2,5 mm wear layer



WP QUADRA

3-LAYER PARQUET



- The plank appearance is emphasized thanks to bevelling of the longitudinal and header joints **(01)**
- Tongue and groove joints on four sides. Can be completely adhered to the subfloor. Also suitable for floating installation in optimal room climates **(02)**
- Tailor-made and dimensionally stable header joint by utilizing top-quality plywood **(03)**
- Spruce supporting material with vertically arranged growth rings **(04)**
- Suitable for underfloor heating; optimal with full-surface adhesion

















































**DIMENSIONS:**  
 1700 x 160 x 14 mm  
 Overall thickness 14 mm with  
 approx. 3,6 mm wear layer



# COLOUR RANGE OVERVIEW

## STOCK ITEM

<p><b>NEW</b></p>  <p>COLOUR RANGE <b>LAVA</b> FUMED OAK ICE original</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>	<p><b>NEW</b></p>  <p>COLOUR RANGE <b>LAVA</b> OAK BLACK PEPPER spectrum</p> <ul style="list-style-type: none"> <li>WP Quadra</li> </ul>	 <p>COLOUR RANGE <b>LAVA</b> FUMED OAK original</p> <ul style="list-style-type: none"> <li>WP Charisma Plank, WP Quadra</li> </ul>	<p><b>NEW</b></p>  <p>COLOUR RANGE <b>TERRA</b> OAK COGNAC essence</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>	 <p>COLOUR RANGE <b>TERRA</b> NUT STEAMED structure</p> <ul style="list-style-type: none"> <li>WP Quadra</li> </ul>
<p><b>NEW</b></p>  <p>COLOUR RANGE <b>TERRA</b> OAK COFFEE MELANGE original</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>	 <p>COLOUR RANGE <b>TERRA</b> OAK COFFEE original</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>	 <p>COLOUR RANGE <b>TERRA</b> OAK HAVANA select</p> <ul style="list-style-type: none"> <li>WP 2.224</li> </ul>	 <p>COLOUR RANGE <b>TERRA</b> OAK HAVANA original</p> <ul style="list-style-type: none"> <li>WP Comfort Plank</li> </ul>	 <p>COLOUR RANGE <b>TERRA</b> OAK HAVANA spectrum</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>
 <p>COLOUR RANGE <b>TERRA</b> OAK KROKANT accent</p> <ul style="list-style-type: none"> <li>WP Charisma Plank, WP Quadra</li> </ul>	<p><b>NEW</b></p>  <p>COLOUR RANGE <b>NATURE</b> OAK MANDEL original</p> <ul style="list-style-type: none"> <li>WP Grand Plank</li> </ul>	 <p>COLOUR RANGE <b>NATURE</b> OAK select</p> <ul style="list-style-type: none"> <li>WP Charisma Plank, WP Quadra, WP 2.224</li> </ul>	<p><b>NEW</b></p>  <p>COLOUR RANGE <b>NATURE</b> OAK original</p> <ul style="list-style-type: none"> <li>WP Grand Plank</li> </ul>	 <p>COLOUR RANGE <b>NATURE</b> OAK original no sapwood</p> <ul style="list-style-type: none"> <li>WP Comfort Plank</li> </ul>
 <p>COLOUR RANGE <b>NATURE</b> OAK accent</p> <ul style="list-style-type: none"> <li>WP Charisma Plank, WP Quadra</li> </ul>	 <p>COLOUR RANGE <b>NATURE</b> OAK essence</p> <ul style="list-style-type: none"> <li>WP Charisma Plank, WP Quadra</li> </ul>	 <p>COLOUR RANGE <b>NATURE</b> OAK PURE select</p> <ul style="list-style-type: none"> <li>WP 2.224</li> </ul>	 <p>COLOUR RANGE <b>NATURE</b> OAK PURE accent</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>	 <p>COLOUR RANGE <b>NATURE</b> OAK PURE essence</p> <ul style="list-style-type: none"> <li>WP Quadra</li> </ul>
 <p>COLOUR RANGE <b>STONE</b> OAK AUSTER original</p> <ul style="list-style-type: none"> <li>WP Comfort Plank</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> OAK AUSTER accent</p> <ul style="list-style-type: none"> <li>WP Quadra</li> </ul>	<p><b>NEW</b></p>  <p>COLOUR RANGE <b>STONE</b> OAK AUSTER essence</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> OAK KASCHMIR select</p> <ul style="list-style-type: none"> <li>WP Charisma Plank, WP Quadra, WP 2.224</li> </ul>	

 <p>COLOUR RANGE <b>STONE</b> OAK KASCHMIR original</p> <ul style="list-style-type: none"> <li>WP Comfort Plank</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> OAK KASCHMIR accent</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> OAK KASCHMIR spectrum</p> <ul style="list-style-type: none"> <li>WP Charisma Plank, WP Quadra</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> OAK ICE accent</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> OAK ICE essence</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>
 <p>COLOUR RANGE <b>STONE</b> OAK SAVANNE select</p> <ul style="list-style-type: none"> <li>WP Quadra</li> </ul>	 <p><b>NEW</b></p> <p>COLOUR RANGE <b>STONE</b> OAK SAVANNE original</p> <ul style="list-style-type: none"> <li>WP Grand Plank</li> </ul>	 <p><b>NEW</b></p> <p>COLOUR RANGE <b>STONE</b> OAK SAVANNE accent</p> <ul style="list-style-type: none"> <li>WP Quadra</li> </ul>	 <p><b>NEW</b></p> <p>COLOUR RANGE <b>STONE</b> OAK SAVANNE essence</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> OAK POLAR accent</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>
 <p><b>NEW</b></p> <p>COLOUR RANGE <b>STONE</b> OAK POLAR spectrum</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> OAK TAUPE select</p> <ul style="list-style-type: none"> <li>WP Quadra</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> OAK TRÜFFELGRAU select</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> OAK TRÜFFELGRAU spectrum</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>	 <p>COLOUR RANGE <b>SAND</b> STONE PINE EDELWEISS original</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>
 <p>COLOUR RANGE <b>SAND</b> MOUNTAIN MAPLE select</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>	 <p>COLOUR RANGE <b>SAND</b> MOUNTAIN MAPLE structure</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>	 <p>COLOUR RANGE <b>SAND</b> CANADIAN MAPLE select</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>	 <p>COLOUR RANGE <b>SAND</b> CANADIAN MAPLE structure</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>	 <p>COLOUR RANGE <b>SAND</b> ASH HEARTWOOD natural</p> <ul style="list-style-type: none"> <li>WP Charisma Plank</li> </ul>
 <p>COLOUR RANGE <b>SAND</b> ASH HEARTWOOD POLAR vibrant</p> <ul style="list-style-type: none"> <li>WP Comfort Plank</li> </ul>	 <p>The below given images are for rough orientation only. For representative grading pictures please refer to grading book 2015/16</p>			

# WIDEBOARD APPEARANCE


## OFFERS SPACIOUSNESS

PROVIDES A ROOM WITH STYLE AND DISTINCTIVENESS, WORKS WELL IN ALL SURROUNDINGS. THE SPECIAL FORMAT BETWEEN PLANK AND BLOCK. ITS GENEROUS APPEARANCE MAKES IT PERFECTLY SUITED TO LARGE OR SMALL AREAS.

## WP 4140 2-LAYER PARQUET



- Luxurious format with an extremely wide choice of wood species, finishes and surfaces
- Tongue and groove joint on four sides **(01)**
- Tailor-made and dimensionally stable header joint by utilizing top-quality plywood **(02)**
- Spruce supporting material with vertically arranged growth rings **(03)**
- Bevel on the longitudinal and header joints **(04)**
- Ideally suited to underfloor heating, thanks to ideal overall thickness




**DIMENSIONS:**  
1400 x 140 x 11 mm  
Overall thickness 11 mm with approx. 3,6 mm wear layer



WP 5100  
2-LAYER PARQUET



- **Solid wood wear layer more than twice the thickness of the average product on the market**
  - Extremely long lasting and hardwearing
  - **Renovation similiar to a solid floor possible**
- Tongue and groove joint on four sides **(01)**
- Tailor-made and dimensionally stable header joint by utilizing top-quality plywood **(02)**
- Spruce supporting material with vertically arranged growth rings **(03)**
- Bevel on the longitudinal and header joints **(04)**



DIMENSIONS:  
1000 x 125 x 13 mm  
Overall thickness 13 mm with  
approx. 5,5 mm wear layer




## WP 4100

### 2-LAYER PARQUET




- Available in an extremely wide choice of wood species, finishes and surfaces
- Tongue and groove joint on four sides **(01)**
- Tailor-made and dimensionally stable header joint by utilizing top-quality plywood **(02)**
- Spruce supporting material with vertically arranged growth rings **(03)**
- Can be used in combination with WP 550 and WP 450
- Can also be supplied in herringbone pattern for orders over 100 m<sup>2</sup>



#### DIMENSIONS:

1000 x 125 x 11 mm  
Overall thickness 11 mm with  
approx. 3,6 mm wear layer




## WP CHARISMA 2-STRIP

### 3-LAYER PARQUET



- Intelligent patented double-click system with the greatest interlocking power on the market. **(01)**
- Patented press-stud principle for simultaneous locking of the longitudinal and header joints in one movement **(02)**:
  - Fast and simple one-man assembly and disassembly
  - Can be completely adhered to the subfloor\*
- Header joint edge locking mechanism made from solid hardwood only - completely free from plastic components and plasticizers **(03)**
- Spruce supporting material with vertically arranged growth rings **(04)**
- HydroStop:
  - Unique all-round joint-edge impregnation
  - Provides the ultimate protection against the ingress of moisture due to small spillages

\* Ideally suited to underfloor heating, as it can be completely adhered to the subfloor





**DIMENSIONS:**  
2245 x 193 x 14 mm  
Overall thickness 14 mm with  
approx. 3,6 mm wear layer



## WP MAXIMA SOLID BOARD



- Great value, completely natural and manufactured in solid wood
- Tongue and groove joints on four sides **(01)** . Inherent stability due to reverse side with flexible cross tongue **(02)** – therefore ideal for complete adhesion
- Ideally suitable for commercial applications due to the 8mm thick solid wood wear layer
- Solid wood. **(03)** Top quality appearance due to its additional bevelled **(04)** and brushed surface treatment









































0 cm 100 cm 200 cm 300 cm 350 cm

**DIMENSIONS:**  
1000 x 120 x 15 mm  
Overall thickness 15 mm with  
approx. 8 mm wear layer

# COLOUR RANGE OVERVIEW

## STOCK ITEM

 <p>COLOUR RANGE <b>LAVA</b> FUMED OAK ICE original</p> <ul style="list-style-type: none"> <li>WP Charisma 2-Strip</li> </ul>	 <p>COLOUR RANGE <b>LAVA</b> FUMED OAK original</p> <ul style="list-style-type: none"> <li>WP 4100</li> <li>WP Charisma 2-Strip</li> </ul>	 <p>COLOUR RANGE <b>TERRA</b> OAK COFFEE original</p> <ul style="list-style-type: none"> <li>WP 4140, WP 4100</li> </ul>	 <p>COLOUR RANGE <b>TERRA</b> OAK COGNAC spectrum</p> <ul style="list-style-type: none"> <li>WP Charisma 2-Strip</li> </ul>	 <p>COLOUR RANGE <b>TERRA</b> NUT STEAMED select</p> <ul style="list-style-type: none"> <li>WP 4100</li> </ul>
 <p>COLOUR RANGE <b>TERRA</b> NUT STEAMED original</p> <ul style="list-style-type: none"> <li>WP Charisma 2-Strip</li> </ul>	 <p>COLOUR RANGE <b>TERRA</b> NUT STEAMED structure</p> <ul style="list-style-type: none"> <li>WP 4100</li> </ul>	 <p><b>NEW</b> COLOUR RANGE <b>TERRA</b> OAK KROKANT nature</p> <ul style="list-style-type: none"> <li>WP 4100</li> </ul>	 <p><b>NEW</b> COLOUR RANGE <b>TERRA</b> OAK KROKANT original</p> <ul style="list-style-type: none"> <li>WP Charisma 2-Strip</li> </ul>	 <p>COLOUR RANGE <b>FIRE</b> FUMED OAK CRANBERRY spectrum</p> <ul style="list-style-type: none"> <li>WP 4100</li> </ul>
 <p>COLOUR RANGE <b>FIRE</b> ROBINIA GED. original</p> <ul style="list-style-type: none"> <li>WP 4100</li> <li>WP Charisma 2-Strip</li> </ul>	 <p><b>NEW</b> COLOUR RANGE <b>NATURE</b> OAK MANDEL accent</p> <ul style="list-style-type: none"> <li>WP 4140</li> </ul>	 <p>COLOUR RANGE <b>NATURE</b> OAK original</p> <ul style="list-style-type: none"> <li>WP Charisma 2-Strip</li> </ul>	 <p>COLOUR RANGE <b>NATURE</b> OAK select</p> <ul style="list-style-type: none"> <li>WP 4140, WP 5100</li> </ul>	 <p><b>NEW</b> COLOUR RANGE <b>NATURE</b> OAK nature</p> <ul style="list-style-type: none"> <li>WP 4100</li> </ul>
 <p>COLOUR RANGE <b>NATURE</b> OAK accent</p> <ul style="list-style-type: none"> <li>WP 4140, WP 5100</li> <li>WP 4100</li> </ul>	 <p><b>NEW</b> COLOUR RANGE <b>NATURE</b> OAK structure</p> <ul style="list-style-type: none"> <li>WP 4100</li> </ul>	 <p>COLOUR RANGE <b>NATURE</b> OAK PURE select</p> <ul style="list-style-type: none"> <li>WP 4140</li> </ul>	 <p>COLOUR RANGE <b>NATURE</b> OAK PURE spectrum</p> <ul style="list-style-type: none"> <li>WP 4100</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> OAK AUSTER select</p> <ul style="list-style-type: none"> <li>WP 4140</li> </ul>
 <p>COLOUR RANGE <b>STONE</b> OAK KASCHMIR select</p> <ul style="list-style-type: none"> <li>WP 4140</li> </ul>	 <p><b>NEW</b> COLOUR RANGE <b>STONE</b> OAK KASCHMIR nature</p> <ul style="list-style-type: none"> <li>WP 4100</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> OAK KASCHMIR original</p> <ul style="list-style-type: none"> <li>WP Charisma 2-Strip</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> OAK KASCHMIR spectrum</p> <ul style="list-style-type: none"> <li>WP 4140, WP 5100</li> <li>WP 4100</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> OAK ICE original</p> <ul style="list-style-type: none"> <li>WP Charisma 2-Strip</li> </ul>

 <p>COLOUR RANGE <b>STONE</b> <b>OAK ICE</b> accent</p> <ul style="list-style-type: none"> <li>WP 4140</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> <b>OAK SAVANNE</b> select</p> <ul style="list-style-type: none"> <li>WP 4140</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> <b>OAK SAVANNE</b> original</p> <ul style="list-style-type: none"> <li>WP Charisma 2-Strip</li> </ul>	 <p><b>NEW</b></p> <p>COLOUR RANGE <b>STONE</b> <b>OAK SAVANNE</b> spectrum</p> <ul style="list-style-type: none"> <li>WP 4100</li> </ul>	 <p>COLOUR RANGE <b>STONE</b> <b>ASH POLAR</b> natural</p> <ul style="list-style-type: none"> <li>WP Charisma 2-Strip</li> </ul>
 <p>COLOUR RANGE <b>STONE</b> <b>OAK TRÜFFELGRAU</b> select</p> <ul style="list-style-type: none"> <li>WP 4140</li> </ul>	 <p>COLOUR RANGE <b>SAND</b> <b>ASH LATTE</b> select</p> <ul style="list-style-type: none"> <li>WP 4100</li> </ul>	 <p>COLOUR RANGE <b>SAND</b> <b>MOUNTAIN MAPLE</b> select</p> <ul style="list-style-type: none"> <li>WP 4100</li> </ul>	 <p>COLOUR RANGE <b>SAND</b> <b>MOUNTAIN MAPLE</b> structure</p> <ul style="list-style-type: none"> <li>WP 4100</li> </ul>	 <p>COLOUR RANGE <b>SAND</b> <b>ASH</b> select</p> <ul style="list-style-type: none"> <li>WP 4100</li> </ul>
 <p>COLOUR RANGE <b>SAND</b> <b>ASH</b> structure</p> <ul style="list-style-type: none"> <li>WP 4100</li> </ul>	 <p>COLOUR RANGE <b>SAND</b> <b>ASH ICE</b> natural</p> <ul style="list-style-type: none"> <li>WP Charisma 2-Strip</li> </ul>	<div style="text-align: right;">  <p>The below given images are for rough orientation only. For representative grading pictures please refer to grading book 2015/16</p> </div>		

# BLOCK APPEARANCE

## CREATES MORE LATITUDE

A PARQUET THAT MATCHES ANY STYLE: THE BLOCK APPEARANCE IS A TIMELESS CLASSICAL DESIGN. THANKS TO ITS DIVERSITY, BLOCK PARQUET GOES WELL WITH ANY STYLE OF FURNISHING.




## WP 550

### 2-LAYER PARQUET



- **Solid wood wear layer more than twice the thickness of the average product on the market**
  - Extremely long lasting and hardwearing
  - **Same re-sanding timescales as for solid timber floors**
- Tongue and groove joint on four sides **(01)**
- Tailor-made and dimensionally stable header joint by utilizing top-quality plywood **(02)**
- Spruce supporting material with vertically arranged growth rings **(03)**
- Offers the greatest freedom of choice of installation patterns, also perfect for combining with other products



#### DIMENSIONS:

500 x 65 x 11 mm


Overall thickness 11 mm with  
approx. 5,5 mm wear layer




WP 450  
2-LAYER PARQUET



- Available in an extremely wide choice of wood species, finishes and surfaces
- Tongue and groove joint on four sides **(01)**
- Tailor-made and dimensionally stable header joint by utilizing top-quality plywood **(02)**
- Spruce supporting material with vertically arranged growth rings **(03)**
- Offers the greatest freedom of choice of installation patterns, also perfect for combining with other products



DIMENSIONS:  
500 x 65 x 11 mm  
Overall thickness 11 mm with  
approx. 3,6 mm wear layer






## WP CHARISMA 3-STRIP 3-LAYER PARQUET



- Intelligent patented double-click system with the greatest interlocking power on the market. **(01)**
- Patented press-stud principle for simultaneous locking of the longitudinal and header joints in one movement **(02)**:
  - Fast and simple one-man assembly and disassembly
  - Can be completely adhered to the subfloor\*
- Header joint edge locking mechanism made from solid hardwood only - completely free from plastic components and plasticizers **(03)**
- Spruce supporting material with vertically arranged growth rings **(04)**
- HydroStop:
  - Unique all-round joint-edge impregnation
  - Provides the ultimate protection against the ingress of moisture due to small spillages

\* Ideally suited to underfloor heating, as it can be completely adhered to the subfloor




**DIMENSIONS:**  
2245 x 193 x 14 mm  
Overall thickness 14 mm with  
approx. 3,6 mm wear layer

0 cm 100 cm 200 cm 300 cm 350 cm

WP CLASSIC 521  
SOLID BLOCK PARQUET



- Prestigious and of great ecological value due to solid wood construction
- The globally unrivalled solid block parquet with square edges prefinished in either ProStrong, ProActive+ or ProVital surface finish, guarantees unbeatably reduced installation times with the greatest precision and quality surface finish
- Tongue and groove joints on all four sides **(01)**
- Ideally suitable for commercial applications due to the 10mm thick solid wood wear layer **(02)**




























DIMENSIONS:  
500 x 60 x 21 mm  
Overall thickness 21 mm with  
approx. 10 mm wear layer



COLOUR RANGE OVERVIEW


STOCK ITEM

 <p>COLOUR RANGE <b>LAVA</b> FUMED OAK original ▪ WP 550, WP 450, WP Charisma 3-Strip</p>	 <p>COLOUR RANGE <b>TERRA</b> NUT STEAMED original ▪ WP Charisma 3-Strip</p>	 <p>COLOUR RANGE <b>TERRA</b> NUT STEAMED structure ▪ WP 450, WP Charisma 3-Strip</p>	 <p>COLOUR RANGE <b>TERRA</b> OAK COFFEE original ▪ WP 450</p>	 <p>COLOUR RANGE <b>TERRA</b> OAK HAVANA structure ▪ WP Charisma 3-Strip</p>
 <p><b>NEW</b> COLOUR RANGE <b>TERRA</b> OAK KROKANT nature ▪ WP 450</p>	 <p>COLOUR RANGE <b>FIRE</b> ROBINIA STEAMED original ▪ WP 450, WP Charisma 3-Strip</p>	 <p>COLOUR RANGE <b>FIRE</b> CHERRY STEAMED select ▪ WP 450, WP Charisma 3-Strip</p>	 <p>COLOUR RANGE <b>FIRE</b> CHERRY STEAMED original ▪ WP Charisma 3-Strip</p>	 <p>COLOUR RANGE <b>FIRE</b> CHERRY STEAMED structure ▪ WP 450, WP Charisma 3-Strip</p>
 <p>COLOUR RANGE <b>FIRE</b> BEECH STEAMED nature ▪ WP 450, WP Charisma 3-Strip</p>	 <p>COLOUR RANGE <b>FIRE</b> BEECH STEAMED structure ▪ WP 450, WP Charisma 3-Strip</p>	 <p><b>NEW</b> COLOUR RANGE <b>NATURE</b> OAK MANDEL structure ▪ WP Charisma 3-Strip</p>	 <p>COLOUR RANGE <b>NATURE</b> OAK exquisite ▪ WP 550, WP 450 WP Charisma 3-Strip</p>	 <p>COLOUR RANGE <b>NATURE</b> OAK nature ▪ WP 550, WP 450 WP Charisma 3-Strip</p>
 <p>COLOUR RANGE <b>NATURE</b> OAK structure ▪ WP Charisma 3-Strip</p>	 <p>COLOUR RANGE <b>NATURE</b> OAK accent ▪ WP 550, WP 450</p>	 <p>COLOUR RANGE <b>NATURE</b> OAK spectrum ▪ WP 550, WP 450</p>	 <p>COLOUR RANGE <b>NATURE</b> OAK PURE nature ▪ WP Charisma 3-Strip</p>	 <p>COLOUR RANGE <b>STONE</b> OAK AUSTER nature ▪ WP 450, WP Charisma 3-Strip</p>
 <p>COLOUR RANGE <b>STONE</b> OAK KASCHMIR nature ▪ WP Charisma 3-Strip</p>	 <p>COLOUR RANGE <b>STONE</b> OAK KASCHMIR spectrum ▪ WP 550, WP 450</p>	 <p>COLOUR RANGE <b>STONE</b> OAK SAVANNE nature ▪ WP 450, WP Charisma 3-Strip</p>	 <p>COLOUR RANGE <b>STONE</b> ASH POLAR select ▪ WP Charisma 3-Strip</p>	 <p>COLOUR RANGE <b>SAND</b> ASH LATTE select ▪ WP 450</p>





# COLOUR RANGE OVERVIEW

## STOCK ITEM





COLOUR RANGE SAND  
**MOUNTAIN MAPLE**  
select

- WP 450, WP Charisma 3-Strip



COLOUR RANGE SAND  
**MOUNTAIN MAPLE**  
structure

- WP 450, WP Charisma 3-Strip



COLOUR RANGE SAND  
**CANADIAN MAPLE**  
select

- WP Charisma 3-Strip



COLOUR RANGE SAND  
**CANADIAN MAPLE**  
nature

- WP 450, WP Charisma 3-Strip



COLOUR RANGE SAND  
**CANADIAN MAPLE**  
structure

- WP 450, WP Charisma 3-Strip



COLOUR RANGE SAND  
**ASH**  
select

- WP 450, WP Charisma 3-Strip

COLOUR RANGE SAND  
**ASH**  
structure

- WP 450, WP Charisma 3-Strip

The below given images are for rough orientation only. For representative grading pictures please refer to grading book 2015/16

# STRIP APPEARANCE

## STANDS FOR DESIGN

MODERN AND MULTIFACETED,  
STRIP PARQUET WITH ITS  
NUANCED STRIPS CREATES  
IMPARTING SPECIAL ACCENTS  
IN YOUR ROOMS.





## WP STRIP 45


2-LAYER PARQUET



- Unusually effective design - exclusively from Weitzer Parkett
- Extremely high-grade and long-lasting due to above-average solid wood wear layer of approx. 4.5 mm
- Tongue and groove joints on four sides **(01)**
- Supporting material made from moisture resistant HDF **(02)**
- Unbeatable price/performance ratio

















DIMENSIONS:  
360 x 108 x 11 mm  
Overall thickness 11 mm with  
approx. 4,5 mm wear layer



COLOUR RANGE OVERVIEW

STOCK ITEM

<p><b>NEW</b></p> <p>COLOUR RANGE <b>LAVA</b> OAK BLACK PEPPER nature ▪ WP Strip 45</p> 	<p>COLOUR RANGE <b>LAVA</b> FUMED OAK nature ▪ WP Strip 45</p> 	<p>COLOUR RANGE <b>TERRA</b> NUT STEAMED original ▪ WP Strip 45</p> 	<p>COLOUR RANGE <b>FIRE</b> ROBINIA STEAMED original ▪ WP Strip 45</p> 	<p>COLOUR RANGE <b>FIRE</b> CHERRY STEAMED original ▪ WP Strip 45</p> 
<p>COLOUR RANGE <b>NATURE</b> OAK nature ▪ WP Strip 45</p> 	<p><b>NEW</b></p> <p>COLOUR RANGE <b>NATURE</b> OAK structure ▪ WP Strip 45</p> 	<p>COLOUR RANGE <b>STONE</b> OAK KASCHMIR nature ▪ WP Strip 45</p> 	<p>COLOUR RANGE <b>STONE</b> OAK SAVANNE nature ▪ WP Strip 45</p> 	<p>COLOUR RANGE <b>SAND</b> MOUNTAIN MAPLE select ▪ WP Strip 45</p> 
<p>COLOUR RANGE <b>SAND</b> MOUNTAIN MAPLE natural ▪ WP Strip 45</p> 	<p>COLOUR RANGE <b>SAND</b> ASH select ▪ WP Strip 45</p> 	<p>COLOUR RANGE <b>SAND</b> ASH natural ▪ WP Strip 45</p> 	<p></p> <p>The below given images are for rough orientation only. For representative grading pictures please refer to grading book 2015/16</p>	



**IDESIGN PARQUET®  
SPECIAL EDITION**

**CONFIGURED ACCOR-  
DING TO YOUR TASTE BY  
WEITZER PARKETT**





# TWIST PARQUET

YOUR PATTERN. MY PATTERN.  
INSTALL ME ANY WHICH WAY YOU WANT.

THE NEW PANEL APPEARANCE WITH MUCH MORE ROOM FOR CREATIVITY!



Twist parquet finally gives the room the individuality it deserves!

Weitzer Parkett combines the most important trends from haptics, colour and size in a unique item.




## TECHNICAL DATA:

- One longitudinal tongue —3-sided groove plus false tongue for the front side **(01)**
- Spruce supporting material with vertically arranged growth rings **(02)**
- With bevel **(03)** or trendy Soft Line **(04)** on request



## 4 FORMATS



Total thickness for all four formats is 14 mm with about 3.6 mm top layer.

0 cm

100 cm

## 2 PRODUCT LINES



- OAK ICE | ESSENCE | BEVELLED, STONEWASHED  
powerful white tones combined with a distinct brushing
- OAK | SELECT | SOFTLINE  
a soft, rounded bevel enhances the formats

PANEL APPEARANCE | 3-LAYER PARQUET




POSSIBLE LAYING PATTERNS—THE CHOICES ARE:

- **WP Twist MIX:** all four formats invite you to design and play - entirely individual and creative patterns emerge
- **WP Twist 772** > Completely en vogue - contemporary and generously interpreted:
- **WP Twist 579** > the traditional herringbone pattern in our exciting panel-appearance format.



- MIX pattern: an example of innumerable installation possibilities
- Herringbone pattern



OAK  
ALPINE SUN

MY COLOUR IS LIKE  
THE GENTLE TOUCH OF THE SUN.


## TECHNICAL DATA:

- WP Charisma Plank | Oak Alpine sun
- Intelligent patented double-click system with the greatest interlocking power on the market. **(01)**
- Patented press-stud principle for simultaneous locking of the longitudinal and header joints in one movement **(02)**:
  - Fast and simple one-man assembly and disassembly
  - Can be completely adhered to the subfloor\*
- Header joint edge locking mechanism made from solid hardwood only - completely free from plastic components and plasticizers **(03)**
- Spruce supporting material with vertically arranged growth rings **(04)**

\* Ideally suited to underfloor heating, as it can be completely adhered to the subfloor



DIMENSIONS:  
2245 x 193 x 14 mm  
Overall thickness 14 mm with  
approx. 3,6 mm wear layer



PLANK APPEARANCE | 3-LAYER PARQUET



PLANK APPEARANCE | OAK ALPINE SUN | ESSENCE | BEVELLED, BRUSHED


STYRIAN WINE OAK PLANK APPEARANCE | 3-LAYER PARQUET

GENUINE STYRIAN RED WINE  
CREATES MY UNMISTAKABLE COLOUR.

TECHNICAL DATA:

- Refined with Styrian red wine
- The plank appearance is emphasized thanks to bevelling of the longitudinal and header joints **(01)**
- Tongue and groove joints on four sides **(02)**
- Tailor-made and dimensionally stable header joint by utilizing top-quality spruce wood **(03)**
- Spruce supporting material with vertically arranged growth rings **(04)**
- Suitable for underfloor heating
- The Wine Oak has to be fully adhered


Installing a fidbox® (climate measuring device) is strongly recommended. This enables specialist advice to be sought including indoor climate optimization even after the parquet has been installed. This preserves the value and beauty of the floor and ensures a long life of the same.



DIMENSIONS:

3800 x 187 x 15 mm | Overall thickness 15 mm with approx. 4 mm wear layer

3500 x 240 x 18 mm | Overall thickness 18 mm with approx. 5 mm wear layer



# WOODEN STAIRS WP MULTI

## PARQUET AND STAIRS IN IDENTICAL COLOURS

THE PERFECT FINISH  
TO YOUR INTERIOR.



PLANK APPEARANCE | NUT STEAMED | STRUCTURE

06

**LOOSE EDGE  
PROFILE FOR STEPS  
(LEP)**

Quick and flexible solution  
on site!

Fixed length: 2500 mm

(including tongue with Imperial Plank, WP Charisma,  
WP 2.224 and WP Comfort Plank)

**NEW!**

07 SOLID HAND RAIL

08

**WALL COVERING**

Available in Profile 40  
and Profile 58



06

TREAD PANEL  
**PROFILE 40**

05

RISER

03

TREAD

02

TREAD PANEL  
**PROFILE 58**

02

TREAD PANEL  
**PROFILE BLOCK**

02

TREAD PANEL  
**BLOCK STYLE PROFILE**

02

04

**NEW!**FOR WP CHARISMA  
PLANK**03 MULTI FRONT EDGE - RISER (FER)**

Covers the side of the risers (vertically) and rounds off the overall picture of the staircase. It is available in white (see image) or in all parquet appearances.

**04 MULTI WALL COVER MOULDING (WCM)**

The final touch for wall clearance. Offers protection against abrasion and dirt.

**05 MULTI FRONT EDGE (FE)**

The Multi Front Edge covers the open sides of the tread. The Multi Front Edge is provided with a permanent tongue. A router and a 4 mm groove cutter with thrust ring are needed for installation.

**PROFILE 40, 58, BLOCK:**

Dimensions: 350 x 40/58 x 6 mm | Dimensions: 600 x 40/58 x 6 mm

Precise,  
stable  
fixation of  
Front Edge  
(FE) \*



**New!** Also available without tongue!

\* Grooves must be cut during installation

**03 + 04 + 05 WP MULTI MOULDING SYSTEM**

The intelligent moulding system made of genuine wood for all applications—whether straight, L- or U-shaped, or slanting. Consisting of **Multi Front Edge (FE)**, **Multi Front Edge - Riser (FER)**, and the **Wall Cover Moulding (WCM)**, they fit every Weitzer parquet and every multi-stair variation. **Available in every wood species and colour of the Weitzer Parkett assortment.**




WEITZER PARKETT OFFERS MATCHING STAIRS FOR EVERY PARQUET FLOOR - IRRESPECTIVE OF WHICH TIMBER OR COLOUR TONE YOU USE - CREATING COLOUR CONSISTENCY THROUGHOUT




## 01 EDGE PROFILE FOR STEPS (EP)

The stair edge profile consists of a multi-moulding and a parquet strip. It is the closure of every staircase (exit) and enables continued seamless laying of the connecting parquet (continued frontal laying on request)


Immediately Click on For example continue installation



**PROFILE 40**  
40 mm edge band



**PROFILE 58**  
58 mm edge band



**PROFIL BLOCK**  
Variable riser\*



**NEW!**  
FOR WP CHARISMA PLANK  
**BLOCK STYLE PROFILE**  
Variable riser\*

\* Height depends on each product.

## 02 TREAD PANEL

Consists of several parquet strips (number of parquet strips varies depending on parquet appearance) and terminates at the longitudinal sides each with multi-moulding.

### AVAILABLE MODELS:

Profile 40, Profile 58, Profile Block and Block Style Profile

**You'll find a detailed description of the individual profiles on the next page.**



Standard 17 mm thick carrier panel,  
6 mm or 27 mm thickness deliverable on request

Two treads can be produced per large die plate.

### TREAD COMBINATION

Exemplary presentation of the tread combination for each cut is displayed on the back side. However this serves only as guidance. Exact measures must always be taken on site!



PLANK APPEARANCE\*



WIDEBOARD APPEARANCE



BLOCK APPEARANCE




STRIP APPEARANCE  
„CLASSIC“ installation



STRIP APPEARANCE  
„DESIGN“ installation


\* Continuous top layer (no header joint) is possible at an extra cost.

## THE TREAD PANEL IN DETAIL




Consists of several parquet strips\* and connects each longitudinal side with a multi-moulding. **Two treads** can be produced per tread panel.

TREAD PANEL **PROFIL 40**





Ideal for covering existing stairs, it consists of several parquet strips\* and completes each longitudinal side with a multi-moulding. **Two treads** can be produced per tread panel.

TREAD PANEL **PROFILE 58**



Makes old steps vanish completely.  
Perfect for renovations!  
**Riser<sup>Δ</sup>** is supplied loose.

TREAD PANEL **PROFIL BLOCK**



**New for WP Charisma Plank:**  
Perfect joining technology!  
Joining the riser and tread without shadow gap.

TREAD PANEL **BLOCK STYLE PROFILE**

\* **Number of parquet strips** varies depending on parquet appearance.  
\*\* **Height** depends on each product.

**Δ riser:** Is the vertical cladding of the existing step. It is available in white (see image Profile 40 and 58) or in all parquet appearances.

# PROFESSIONAL INSTALLATION WITH SCREW CONNECTED RISER

FOR A PERFECT RESULT

OPTIMIZED INSTALLATION CONDITIONS  
OF THE RISER USING AN EXACT  
EDGE AND PRE-DRILLED  
THREADED-CONNECTION HOLES.




## YOUR BENEFITS AT A GLANCE:




- Prefabricated riser as an ideal solution to cover existing structure **(01)**  
(Brickworks/Painting not necessary)
- Pre-drilled, countersunk threaded connection in the riser **(02)**  
(simple one-man installation)
- Remarkable saving of installation time

### FORCE-FIT CONNECTION

of the riser  
with the tread



## WP MULTI POSSIBILITIES



## SOLID HAND RAILS



\*\* 5 mm edge radius


# PARQUET MOULDING SYSTEM

## FROM SIMPLE TO ELEGANT

INTELLIGENT AND PROVEN  
SOLUTIONS FOR THE  
PERFECT FINISH  
OF YOUR INTERIOR.

# MAGNET-FLEX DESIGN MOULDING

UNIQUE MAGNETIC  
ALUMINIUM  
MOULDING SYSTEM  
WITH MAXIMUM  
FLEXIBILITY.



Easy assembly and removal. Ideal for covering cable conduits.




Magnet-Flex design moulding with rubber lip.

Dimensions: 2960 x 40 x 2 mm

## YOUR BENEFITS AT A GLANCE:

- Perfect harmony. An accomplished room design, yet practical for everyday use
- Flat system for discreet wall finishing
- Uneven and irregular surfaces are compensated for by the rubber lip, which prevents dust and dirt deposits
- Simple assembly and removal - ideal for quick access to underlying cable conduit when carrying out general maintenance
- The fixings for the moulding are invisible



FLOOR MOUNTING  
of Magnet-Flex  
Design Moulding

# PARQUET SKIRTINGS

A MATCHING  
SKIRTING FOR  
EVERY FLOOR.



## VENEERED SKIRTINGS

CLIP-STAR




**SF 40 \*** - Length 2500 mm

CLIP-STAR



**SF 58** - Length 2500 mm

CLIP-STAR





**SF 60** - Length 2500 mm




**SF 82** - Length 2500 mm

CLIP-STAR



**SF 95** - Length 2500 mm



**PF 24** - Length 2500 mm

## VENEERED SKIRTINGS



## SOLID SKIRTINGS



\* also available with insulating strip





# PARQUET ACCESSORIES

## FOR A LONG PARQUET LIFE!

WITH THE RIGHT ACCESSORIES,  
THE PARQUET STAYS BEAUTIFUL  
YEARS AFTER ITS INSTALLATION

# CLEANING AND MAINTENANCE AGENT SHELF

BECAUSE CUSTOMER  
RETENTION  
IS IMPORTANT.

## You take care of your customers even after installation!

With cleaning and maintenance products from Weitzer Parkett you have always got a good reason to stay in contact with your customers.

Perfectly matched to the needs of the surface finish, the cleaning and maintenance products are better suited than no-name products and the parquet will stay beautiful for a lifetime. That's good for the parquet and good for customer retention!

## YOUR BENEFITS AT A GLANCE:

- You keep in contact with your customers even after the installation.
- Maintenance and cleaning products are a good instrument for customer-retention and a service-feature.
- Gain extra business.

### THE SET CONTAINS:

- three bottles each of: Cleaning Soap, Clever Cleaner, ProVital finish, Clean & Care;
- three bottles each of: ProVital finish Maintenance Spray (01 transparent, 02 white, 03 grey, 04 brown, 05 black);
- three sets of: ProVital finish Maintenance Set (01 transparent, 02 white, 03 grey, 04 brown, 05 black); and
- one box (16 handy sample sizes, each 60 mL): Cleaning Soap.



COMPETITIVE  
**SET PRICE**

ASK YOUR RESPONSIBLE  
WEITZER PARKETT CONTACT PERSON

CLEANING AND  
MAINTENANCE AGENT SHELF  
**+ FREE!**

# GUARANTEED FREE FROM PLASTICIZERS

WEITZER PARKETT  
SETS STANDARDS:  
WITH A UNIQUE OVERALL  
SOLUTION FREE FROM  
PLASTICIZERS!

ENVIRONMENTALLY  
FRIENDLY

We are the first and only provider on the market to offer you an overall solution free from plasticizers: from the parquet floor to the adhesive. Another contribution to improved health and the preservation of Mother Nature.

Weitzer Parkett is well aware of its environmental responsibility and implements this throughout the entire value-added chain - from the procurement of raw materials right up to our wood waste recycling. In the same manner, we place great emphasis on using environmentally safe products required in the production of our parquet flooring.

## PROFI SMP ADHESIVE NO. 950



### PRODUCT DETAILS

- 1-component, label-free adhesive
- Adhesive residues can be easily removed
- Use with 2- and 3-layer parquet:  
1000 g/m<sup>2</sup> to 1200 g/m<sup>2</sup>
- Application: suitable for complete adhesion of solid wood floors, 2-layer and 3-layer parquet\*

\* can also be used as blocking primer in case of excessive residual moisture (up to 4% CM) when applied by means of Trowel No. 12.  
Please request installation instructions

## YOUR BENEFITS AT A GLANCE:

- free from Plasticizers
- does not contain potentially migrating components after curing
- free from solvents and water
- Sustainability: Parquet that has been removed after a long period of use can in future be fed into the recycling execute at significantly lower cost. Thanks to the environmentally friendly adhesive, no harmful substances can be absorbed by the wood, which means that it can be fully recycled for future use.

### ADDITIONAL BENEFITS FOR YOU:

- Usage on substrates with increased residual moisture of up to 4% CM possible
- Savings on epoxy resin primers

Easy-to-execute, exemplary solution –in terms of the environment and economics

# WEITZER PARKETT FIDBOX®

SAFETY  
INCLUDED.

The fidbox® is a climate monitor that is hidden in the parquet for measuring the temperature (°C) and relative humidity (%), and a data logger for ongoing data recording all in one. The data stored in the device can be read at any time and allows for determination of the temperature as well as the level of humidity of the screed/subfloor and wood. Not only is this information of interest when it comes to room climate, it also provides clear evidence in the event of damage.

## YOUR BENEFITS AT A GLANCE:

- The fidbox® has already been used on numerous occasions to indemnify parquet installers in cases of claims against them. The device measures the temperature and relative humidity and consequently provides recognised data that can be verified by experts.
- The new safety standard forms part of the initiative of leading manufacturers in their endeavour to turn parquet into an even more reliable quality product.
- The **fidbox®** is integrated in the parquet floor. The stored data can be read at a later stage without any problems.



Installing a fidbox® is mandatory for the WP Grand plank. This enables you to seek specialist advice and optimize your indoor climate even after the parquet has been laid, thereby ensuring the value of the parquet floor is preserved. This will ensure your clients can look forward to a long and happy life together with their parquet floor.



# WOOD - AT ITS BEST

## FROM MAPLE TO STONE PINE

THE DIFFERENT WOOD SPECIES WE USE SERVE TO REFLECT THE INFINITE DIVERSITY OF NATURE.


## WOOD - AT ITS BEST

OUR WOOD SPECIES MIRROR MOTHER NATURE'S DIVERSITY.

OAK - THE STEADFAST ONE BOTANICAL NAME QUERCUS


The highly characteristic, long-living oak is amongst the most valuable of domestic timbers. The timeless classic stands for robustness - the wood of this dependable tree is durable, hard, firm and elastic all in one. This makes it the perfect wood for a wide range of additional colour treatments, because it works with all furniture styles and is perfect for use with underfloor heating, oak remains the wood of choice for most people selecting a parquet floor.

**Origin:** primarily Austria, Hungary and Croatia.

BEECH - THE FLEXIBLE ONE BOTANICAL NAME FAGUS SYLVATICA

The beech is Austria's most common deciduous tree, and is often affectionately referred to as the "mother of the forest" as a result. The hard, durable wood, with its fine, discreet growth pattern, is easy to steam bend, after which it retains its new shape. The diverse range of styles to which beech lends itself, from rustic to elegant, make it the wood most used in parquet after oak. Beech wood is distinctive for its light yellow to pinky-brown colouring.

**Origin:** Austria, Hungary and Slovakia.

WALNUT - THE PRECIOUS ONE BOTANICAL NAME JUGLANS NIGRA

One of the most valuable and sought-after timbers, walnut has been viewed for centuries now as one of the most precious wood species for the production not just of parquet flooring and furniture, but also of musical instruments. Thanks to its colouring, which ranges from matt to blackish-brown, and its marking, this attractive wood gives any room it graces a particularly luxurious ambience. Its varied appearance makes it the ideal choice for those wishing to create effective contrasts.

**Origin:** Central and Eastern Europe, USA

ACACIA- THE ROBUST ONE BOTANICAL NAME ROBINIA PSEUDOACACIA

The wood of the perennial acacia has a wide range of different uses: it is one of the heaviest and hardest domestic wood species, and has a high level of resistance. One special characteristic of acacia wood is its resistance to weathering, while it is also highly stable and flexible. Visually, the acacia's distinct structuring and warm, reddish-brown colouring, which is brought out by means of a steam execute, is highly pleasing.

**Origin:** Hungary



## WOOD - AT ITS BEST


OUR WOOD SPECIES MIRROR MOTHER NATURE'S DIVERSITY.



### ASH - THE VITAL ONE BOTANICAL NAME FRAXINUS EXCELSIOR

Thanks to the high quality of its wood, the ash is one of the most precious deciduous woods, and together with beech and oak, one of the most important timbers in Central Europe. The expressive, distinctively structured wood, with its pronounced annual rings, is harder, tougher and more flexible than that of many other trees. For that reason, ash wood is most popular amongst those with the highest requirements when it comes to toughness and flexibility. Thanks to its special marking with a brown core, the ash is often known as the 'core ash'.

**Origin: Austria, Hungary, Croatia and Ukraine.**



### CANADIAN MAPLE - THE CHARMING ONE BOTANICAL NAME ACER SACCHARUM

Canadian maple is both harder and more distinctive in its graining than the mountain maple. The sugar maple, as this wood is also known due to the famous maple sugar which can be produced from the sap of the tree, is one of the most valuable of the maple species. With its eyed texture and the warm appearance of its wood, the Canadian Maple is popular amongst those wishing to combine it with other woods, and has a wide range of uses compared to other light wood species due to its hardness.

**Origin: Canada and North-Eastern USA**



### MOUNTAIN MAPLE - THE BRIGHT ONE BOTANICAL NAME ACER PSEUDOPLATANUS

With its simple, evenly structured precious hardwood and glossy, whitish-yellow colouring, the mountain maple is one of the lightest of its kind to be found in Austria. Thanks to its fine pores, this wood has an especially 'clean' effect, one reason it is so popular amongst the producers of kitchen utensils and children's toys. The light colouring of the mountain maple gives living spaces a lightness which makes everything around it appear especially bright and cheerful.


**Origin: Austria and Slovakia.**



### CHERRY - THE WARMING ONE BOTANICAL NAME PRUNUS AVIUM

Cherry continues to be a classic in the furniture world, and was the most popular wood of the Biedermeier and art nouveau era. Again and again, this refined precious wood motivated designers of the time to create elegant, beautifully shaped - and of course, comfortable - furniture. Its reddish-gold brown colour gives any room a warm, comfortable radiance. The lively, natural graining makes it particularly decorative, and the perfect wood to use in contrast with white or darker woods.

**Origin: primarily Austria and Croatia.**



## WOOD - AT ITS BEST


OUR WOOD SPECIES MIRROR MOTHER NATURE'S DIVERSITY.



### STONE PINE - THE AROMATIC ONE BOTANICAL NAME PINUS CEMBRA

The stone pine is one of the few domestic wood species which, as well as its striking graining (numerous dark-brown knots), has an unmistakable scented aroma which hangs strongly in the air. The essential oils contained in pinewood have been proven to have a positive effect on our health and wellbeing. According to a survey by Joanneum Research Austria, pinewood reduces the heart rate and promotes regeneration in the body. Stone Pine also has a positive influence on our sensitivity to weather conditions. In addition to this, pinewood has a high antibacterial effect, and even serves as an effective protection against insects thanks to the special substances contained in it. As a result, the stone pine is primarily used in bedrooms and wellness areas.

**Origin: selected mountain regions in Austria.**





## ENVIRONMENTAL RESPONSIBILITY

OUR CERTIFICATIONS PROVE OUR LIVED ENVIRONMENTAL PROTECTION AND SUSTAINABILITY

### WE'VE BEEN TESTED.



The 'Ü' label stands for emissions-tested building products in Germany which have been compulsorily tested, and must be approved, in accordance with the principles of the Deutsches Institut für Bautechnik ('DIBt'), the German Institute of Building Technology.

### YOUR TRUST IS IMPORTANT TO US.



The GREENGUARD certificate guarantees no harmful chemical emissions of our 3-layer floors.

### FSC®: WE ARE CERTIFIED.



FSC® (Forest Stewardship Council®) confers its certificates only on those companies using woods for their products that have been felled without exploiting natural, economic, or social resources.

### WE'RE TAKING RESPONSIBILITY.



Weitzer Parkett holds the PEFC Certificate of sustainable forestry. This Europe-wide system of forest certification acts as a common framework for national and regional certification schemes PEFC (Programme for the Endorsement of Forest Certification scheme) is a certification system initiated by European private forest owners and promotes sustainable forestry.

### ENVIRONMENTAL PROTECTION: WE'RE TAKING A STANCE.



As the world's oldest and best-known eco-label, the Blue Angel stands for credibility and competence. It identifies products which are particularly environmentally friendly and at the same time meet high demands in relation to health and employment protection. Weitzer Parkett products have been tested in accordance with these strict guidelines, and as a result are entitled to carry the Blue Angel seal of approval.

### WE STAND FOR REAL VALUES.



Developed by the European Federation of the Parquet Industry ("FEP"), only solid and multi-layered real wood floors such as those manufactured by Weitzer Parkett may carry the Real Wood logo. The campaign for real wood floors has been developed to avoid confusion between real timber floors and laminate floors (laminate cannot carry the "Real Wood" label).

## NO SOONER SAID THAN DONE.

We listen to Mother Nature, and feel obliged to align our company with the environment. We invite you to follow our example!

- Our raw timber is almost exclusively derived from European, sustainable forests.
- We are the first parquet manufacturer to have ceased using tropical hardwood timber for a number of years.
- Support for Greenpeace forest projects. By purchasing a Weitzer Parkett product, you are contributing to saving the last remaining virgin forests in Romania.
- Energy is a valuable resource, our internal biomass power plant, photovoltaic systems and hydroelectric power plant allow us to produce not only environmentally friendly district heating, but also eco-power. The energy produced in this sustainable manner provides power not only for Weitzer Parkett but also for more than half of the city of Weiz. This corresponds to a capacity of more than 2000 households.
- We make a significant contribution to a positive eco balance by means of our overall value-add chain: resources from nearby locations, short transport paths, production in Austria, renewable energy, and much more besides.
- **We are a step ahead: Weitzer Parkett is the first and only manufacturer in the market to offer an overall solution for parquet flooring and adhesive that is free from plasticizers.**

THIS IS PARQUET INTELLIGENCE:

## HAND IN HAND WITH MOTHER NATURE

**Do you expect Environmental Responsibility that you can trust?**

**Our Intelligent Solution:** Tropical timber has been a taboo for us for a long time and we actively support Greenpeace's forest protection projects. Our innovative strength helps us to implement particularly efficient measures in matters of ecology: our in-house biomass co-generation plant, photovoltaic system, and hydroelectric plant are just a few examples of our responsible actions in terms of future generations.



# WE LISTEN TO MOTHER NATURE

OUR ECOLOGICAL  
RESPONSIBILITY  
FOR FUTURE  
GENERATIONS.



70 m<sup>2</sup> WP Charisma  
Oak planks bind  
1 ton of CO<sub>2</sub>


„Healthy flourishing forests play a key role in the global climate, and consequently for life as a whole. Accepting responsibility for the environment is a major concern for us. That's why as personal sponsors, we support the **GREENPEACE** forest campaign in Romania for the preservation of the last remaining virgin forests in Europe“

Dr. Nicola Weitzer  
DI (FH) Michael Wesonig  
Mag. (FH) Kathrin Zenker  
Mag. Alexandra Decker-Weitzer



Weitzer Parkett GmbH & CoKG  
Klammstraße 24  
8160 Weiz, AUSTRIA  
Tel.+43 (0)3172/2372-0  
Fax +43 (0)3172/2372-401  
office@weitzer-parkett.com



 [weitzer-parkett.com](http://weitzer-parkett.com)